



REGISTRATION CERTIFICATE

This is to approve

Tammer OÜ

Väike- Paala 4
11415 Tallinn
Estonia

Single and double leaf fire resisting and/or smoke control inward and outward opening internal insulated steel door sets intended for fire and/or smoke compartmentation meets the requirements of the BM TRADA A-MARK Scheme of factory production control (FPC) detailed in “BM TRADA Scheme Technical Document of Verification of FPC and classification of products with higher reaction to fire or fire resistance requirements according to EN 13501-2” and EN 16034:2014. Performance of products is stated in appendix A, B, C, D and E.



| |
|--------------------------------|
| Product name |
| SMU101 - EI30, SMU201 - EI30 |
| SMU101 - EI60, SMU201 - EI60 |
| SMU102 - EI60, SMU202 - EI60 |
| SMU110 - EI120, SMU210 - EI120 |
| SMU103 - EI60 |

This certificate was first issued on 07 December 2015 and will remain valid until the date of expiry shown on this certificate provided that the test methods and/or factory production control requirements included in the above document, do not change, and the manufacturing conditions in the plant are not modified significantly.

Certificate number:

TT-PRS-093

Date of initial certification:


07 December 2015

Date of last issue:

07 December 2019

Certificate expiry date:

06 December 2020



BM TRADA Latvija
Jānis Švirksts, Executive Director